This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
18	5	"6625331"	USPAT;	2004/10/15 08:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	_
			IBM_TDB;	
			USOCR	
19	10		USPAT	2004/10/15 08:59
		"6016386" "6118463" "6215512" "6323955" "6441915").PN.		
20	0	6625331.URPN.	USPAT	2004/10/15 08:59
21	11282	color near1 (shift\$4 or distort\$4)	USPAT;	2004/10/15 09:55
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB;	
			USOCR ·	
22	4654	line with address with change	USPAT;	2004/10/15 09:55
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
23	114	bow adj1 distortion	USPAT;	2004/10/15 09:55
			US-PGPUB;	
] 			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
24	715040	11.6	USOCR	
24	715040	image adj1 (forming or printing) or printer	USPAT;	2004/10/15 10:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	*
			IBM_TDB;	
25	76884	resist with pattern	USOCR	2004/10/15 00.56
23	70804	i tesist with pattern	USPAT; US-PGPUB;	2004/10/15 09:56
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
26	46	subscan with position with correct\$4	USPAT;	2004/10/15 09:57
			US-PGPUB;	200 11 20 12 03 12 1
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
27	287	main with scan with position with correct\$4	USPAT;	2004/10/15 09:57
		•	US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	
		·	IBM_TDB;	
			USOCR	
28	46289	(test or reference) adj1 (pattern or mark)	USPAT;	2004/10/15 09:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
29	745	misregistration near3 correct\$4	USPAT;	2004/10/15 09:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	

30	5882	modificated add assets	LICDAT.	2004/10/15 09:58
30	3882	positional adj1 error	USPAT; US-PGPUB;	2004/10/13 09.38
			EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
31	78500	resist with (pattern or mark)	USPAT;	2004/10/15 09:59
	70500	resist with (pattern of mark)	US-PGPUB;	200 1, 10, 13 07.37
			EPO; JPO;	
100			DERWENT;	
			IBM TDB;	
			USOCR	
32	830	image adj1 dislocation or color adj1 drift	USPAT;	2004/10/15 10:00
		inage adji distribution of botto adji dini	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB;	
			USOCR	
33	252168	(clamp\$4 or limit\$4) with (maximum or predetermined adj1 (range or	USPAT;	2004/10/15 11:16
	252100	value or distance) or threshold)	US-PGPUB;	= 00 11 10 11 11
		, while or distance, or sineshord,	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
34	7079495	@ad>19980703 not (continuation not provision\$2)	USPAT;	2004/10/15 10:12
		Our service and (community of the text)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
35	8587	(distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or	USPAT;	2004/10/15 17:20
		produced or printed)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
			USOCR	
36	8676	maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2	USPAT;	2004/10/15 10:16
		number)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
	4		USOCR	
37	10726	predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2	USPAT;	2004/10/15 10:16
		number)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
20	140	((distanted on misslianted on all 1994) 141 1 2 2 45 1 = -	USOCR	2004/10/15 10 15
38	140	((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or	USPAT;	2004/10/15 10:16
		produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or	US-PGPUB;	
		shift\$4) or line near2 number))	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
39	206	((distort\$4 or migalian\$4 or shift\$4) with inverse soor? (formed or	USOCR USPAT;	2004/10/15 10:17
37	200	((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4		2004/10/15 10:17
		or shift\$4) or line near2 number))	US-PGPUB; EPO; JPO;	
		of Sintoff of the heard humber)	DERWENT;	
			IBM_TDB;	
			USOCR	
	l		OBOOK	L

				1 200
40	335	(((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or	USPAT; US-PGPUB;	2004/10/15 10:17
ĺ		shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4)	EPO; JPO;	
Í		with image near2 (formed or produced or printed)) and (predetermined	DERWENT;	
		adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))	IBM_TDB;	
			USOCR	
41	200	((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or	USPAT;	2004/10/15 10:17
		produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or	US-PGPUB;	
	ŀ	shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4)	EPO; JPO;	
		with image near2 (formed or produced or printed)) and (predetermined	DERWENT;	
		adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not	IBM_TDB;	İ
40	500.602	(@ad>19980703 not (continuation not provision\$2))	USOCR	2004/10/15 10 10
42	580603	((color near1 (shift\$4 or distort\$4)) ot (line with address with change)	USPAT;	2004/10/15 10:18
		or (bow adj1 distortion) or (positional adj1 error) or (image adj1	US-PGPUB;	
ı		dislocation or color adj1 drift))	EPO; JPO;	
ı			DERWENT;	
ı			IBM_TDB;	1
12	122000		USOCR	2004/10/15 10 10
43	123089	(resist with pattern) or ((test or reference) adjl (pattern or mark)) or	USPAT;	2004/10/15 10:19
		(resist with (pattern or mark))	US-PGPUB; EPO; JPO;	
	· ·		DERWENT;	
			IBM TDB;	
			USOCR	
44	1054	(subscan with position with correct\$4) or (main with scan with position	USPAT;	2004/10/15 10:20
• •	1054	with correct\$4) or (misregistration near3 correct\$4)	US-PGPUB;	2004/10/13 10.20
		with contest y or (missegnitudes near 2 contests y)	EPO; JPO;	
			DERWENT;	
			IBM TDB;	
		· ·	USOCR	
45	23	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or	USPAT;	2004/10/15 10:20
		produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or	US-PGPUB;	
	1	shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4)	EPO; JPO;	
		with image near2 (formed or produced or printed)) and (predetermined	DERWENT;	
,		adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not	IBM_TDB;	
		(@ad>19980703 not (continuation not provision\$2))) and (((color	USOCR	
		near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow		
]	adjl distortion) or (positional adjl error) or (image adjl dislocation or		
47	0	color adj1 drift)))	LIGDAT	2004/10/15 10 20
47	0	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or	USPAT;	2004/10/15 10:20
		shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4)	US-PGPUB; EPO; JPO;	
		with image near2 (formed or produced or printed)) and (predetermined	DERWENT;	
]	adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not	IBM_TDB;	
		(@ad>19980703 not (continuation not provision\$2))) and ((subscan	USOCR	
		with position with correct\$4) or (main with scan with position with	000011	
	1	correct\$4) or (misregistration near3 correct\$4))		
48	33	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or	USPAT;	2004/10/15 10:21
		produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or	US-PGPUB;	
		shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4)	EPO; JPO;	
		with image near2 (formed or produced or printed)) and (predetermined	DERWENT;	
		adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not	IBM_TDB;	
		(@ad>19980703 not (continuation not provision\$2))) and ((clamp\$4 or	USOCR	
		limit\$4) with (maximum or predetermined adj1 (range or value or		
40		distance) or threshold))		
49	25	(((resist with correct\$4) and (maximum with correct\$4 with distort\$4))	USPAT;	2004/10/15 10:44
		or ((resist with correct\$4) and (range with correct\$4 with distort\$4)) or	US-PGPUB;	
		((resist with correct\$4) and (range with distort\$4)) or ((resist with	EPO; JPO;	
		correct\$4) and (maximum with distort\$4)) or ((resist with correct\$4)	DERWENT;	
		and ((clamp\$4 or limit\$4) with correct\$4 with distort\$4))) not (@ad>19980703 not (continuation not provision\$2))	IBM_TDB; USOCR	
		(Continuation not provision \$2))	ODOCK	

	1 16	[(//	LICDATE	2004/10/15 10:45
50	16	((((resist with correct\$4) and (maximum with correct\$4 with distort\$4)) or ((resist with correct\$4) and (range with correct\$4 with distort\$4)) or ((resist with correct\$4) and (range with distort\$4)) or ((resist with correct\$4) and (maximum with distort\$4)) or ((resist with correct\$4) and ((clamp\$4 or limit\$4) with correct\$4 with distort\$4))) not (@ad>19980703 not (continuation not provision\$2))) and (print\$4 or image near1 forming)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:45
51	120	(mark\$4 with correct\$4) and (((clamp\$4 or limit\$4) with correct\$4 with distort\$4) or (maximum with correct\$4 with distort\$4) or (range with correct\$4 with distort\$4) or (range with distort\$4)) and (print\$4 or image near1 forming) not (@ad>19980703 not (continuation not provision\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:46
52	99054	tandem or (print\$4 or image adj1 forming) adj1 units	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:46
53	715040	image adj1 (forming or printing) or printer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 10:46
46	22	(((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern)) or ((test or reference)) adj1 (pattern or mark)) or (resist with (pattern or mark)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:04
54	5548	correct\$4 with (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:05
55	0	(correct\$4 with (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:05
56	0	(correct\$4 with (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))) and ((subscan with position with correct\$4) or (main with scan with position with correct\$4) or (misregistration near3 correct\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 11:06

57	4	(correct\$4 with (((color near1 (shift\$4 or distort\$4)) ot (line with	USPAT;	2004/10/15 11:06
		address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)	US-PGPUB; EPO; JPO; DERWENT;	2007/10/13 11:00
) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2	IBM_TDB; USOCR	
		(formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not		
		(continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift		
59	85467	(clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))	USPAT; US-PGPUB;	2004/10/15 13:00
			EPO; JPO; DERWENT; IBM_TDB;	
60	5151	(image adj1 (forming or printing) or printer) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or	USOCR USPAT; US-PGPUB;	2004/10/15 11:20
		distance)))	EPO; JPO; DERWENT;	
61	1116	((resist with pattern) or ((test or reference) adjl (pattern or mark)) or	IBM_TDB; USOCR USPAT;	2004/10/15 11:20
		(resist with (pattern or mark))) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))	US-PGPUB; EPO; JPO;	200 11 10, 13 11.20
			DERWENT; IBM_TDB; USOCR	
62	247	((image adj1 (forming or printing) or printer) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or	USPAT; US-PGPUB;	2004/10/15 11:21
		distance)))) and (((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark))) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or	EPO; JPO; DERWENT; IBM_TDB;	
63	161	distance)))) ((((image adj1 (forming or printing) or printer) and ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value	USOCR USPAT;	2004/10/15 12:53
		or distance)))) and (((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark)) and ((clamp\$4 or	US-PGPUB; EPO; JPO; DERWENT;	
86	121899	limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance))))) not (@ad>19980703 not (continuation not provision\$2)) (detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4	IBM_TDB; USOCR USPAT;	2004/10/15 17:21
	1210))	or misrealign\$6 or misregist\$6 or error)	US-PGPUB; EPO; JPO;	2004/10/13 17.21
			DERWENT; IBM_TDB; USOCR	
87	80716	correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)	USPAT; US-PGPUB;	2004/10/15 12:56
			EPO; JPO; DERWENT; IBM_TDB;	
88	22667	((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2	USOCR USPAT;	2004/10/15 12:57
		(distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))	US-PGPUB; EPO; JPO; DERWENT;	
	1		IBM_TDB; USOCR	

89	14930	(((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2	USPAT;	2004/10/15 12:57
		(distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	
90	16	((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:58
91	883	((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:58
92	651	((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:59
93	6	(image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 12:59
94	143	(image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:00
95	162	(image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:00
96	2274420	(maximum or predetermined adj1 (range or value or distance))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:00
97	72613	interpolation	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:40

00	1 0			
98	0	interpolation and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((((distort\$4 or misalign\$4 or shif\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shif\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shif\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:40
103	116	misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2))))) ((maximum or predetermined adj1 (range or value or distance))) and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB;	2004/10/15 13:41
99	18	(continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark)))) interpolation and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift	USOCR USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 13:41
100	24	interpolation and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 14:06
104	15	(((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) not (@ad>19980703 not (continuation not provision\$2))) and ((resist with pattern) or ((test or reference) adj1 (pattern or mark)) or (resist with (pattern or mark)))))) not (interpolation and ((image adj1 (forming or printing) or printer) and ((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((color near1 (shift\$4 or distort\$4)) ot (line with address with change) or (bow adj1 distortion) or (positional adj1 error) or (image adj1 dislocation or color adj1 drift)))))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 14:06
101	5	((maximum or predetermined adj1 (range or value or distance))) and ((image adj1 (forming or printing) or printer) and (((((detect\$4 or measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not (continuation not provision\$2))) and (((((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number))) or (((distort\$4 or misalign\$4 or shift\$4) with image near2 (formed or produced or printed)) and (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2 number)))) not (@ad>19980703 not (continuation not provision\$2)))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR	2004/10/15 14:07

102	102	((maximum or predetermined adj1 (range or value or distance))) and	USPAT;	2004/10/15 16:44
		((image adj1 (forming or printing) or printer) and (((((detect\$4 or	US-PGPUB;	
		measur\$4 or evaluat\$4 or sens\$4 or obtain\$4) adj2 (distort\$4 or	EPO; JPO;	
		misrealign\$6 or misregist\$6 or error)) and (correct\$5 adj2 (distort\$4 or	DERWENT;	
		misrealign\$6 or misregist\$6 or error))) not (@ad>19980703 not	IBM_TDB;	
		(continuation not provision\$2))) and (((color near1 (shift\$4 or	USOCR	
		distort\$4)) ot (line with address with change) or (bow adj1 distortion)		
		or (positional adj1 error) or (image adj1 dislocation or color adj1 drift		
105	100402	()))))	***************************************	
105	180482	(exceed\$4 or larger or greater or more) adj2 ((maximum or	USPAT;	2004/10/15 16:45
		predetermined adj1 (range or value or distance)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
106	3818	((avgad\$4 or larger or greater or more) adi2 ((recyimum or	USOCR	2004/10/15 16:45
100	3010	((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))) same ((clamp\$4 or	USPAT;	2004/10/15 16:45
			US-PGPUB;	İ
		limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value or distance)))	EPO; JPO; DERWENT;]
		of distance)))		
			IBM_TDB; USOCR	
107	2000	((exceed\$4 or larger or greater or more) adj2 ((maximum or	USPAT;	2004/10/15 16:46
	2000	predetermined adj1 (range or value or distance)))) with ((clamp\$4 or	US-PGPUB;	2004/10/13 10:40
		limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value	EPO; JPO;	
		or distance)))	DERWENT;	
			IBM_TDB;	
			USOCR USOCR	
109	98	(correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and	USPAT;	2004/10/15 16:46
		(((exceed\$4 or larger or greater or more) adj2 ((maximum or	US-PGPUB;	2004/10/13 10.40
	i	predetermined adj1 (range or value or distance)))) same ((clamp\$4 or	EPO; JPO;	
		limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value	DERWENT;	
		or distance))))	IBM TDB;	
		,,,,,	USOCR	
108	58	(correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and	USPAT;	2004/10/15 16:47
		(((exceed\$4 or larger or greater or more) adj2 ((maximum or	US-PGPUB;	
		predetermined adj1 (range or value or distance)))) with ((clamp\$4 or	EPO; JPO;	
		limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value	DERWENT;	
		or distance))))	IBM_TDB;	i
			USOCR	
110	19075	(maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2	USPAT;	2004/10/15 16:48
		number)) or (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or	US-PGPUB;	
		line near2 number))	EPO; JPO;	
			DERWENT;	
			IBM_TDB;	
113	ا ا	((USOCR	
113	2	((maximum adj2 ((distort\$4 or misalign\$4 or shift\$4) or line near2	USPAT;	2004/10/15 16:49
	Į l	number)) or (predetermined adj2 ((distort\$4 or misalign\$4 or shift\$4) or line pear? number)) and ((correct\$5 di2 (distort\$4 or misalign\$6 or misalign\$6 or	US-PGPUB;	
	1	line near2 number))) and (((correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and (((exceed\$4 or larger or greater or more) adj2 (EPO; JPO;	
		(maximum or predetermined adj1 (range or value or distance)))) same	DERWENT;	
		((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1	IBM_TDB;	
		(range or value or distance))))) not (@ad>19980703 not (continuation not	USOCR	
		provision\$2)))		
112	9	(image adj1 (forming or printing) or printer) and (((correct\$5 adj2	USPAT;	2004/10/15 16:50
		(distort\$4 or misrealign\$6 or misregist\$6 or error)) and (((exceed\$4 or	US-PGPUB;	2004/10/13 10:30
]	larger or greater or more) adj2 ((maximum or predetermined adj1 (range	EPO; JPO;	
	j	or value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3	DERWENT;	
		(maximum or predetermined adj1 (range or value or distance))))) not	IBM_TDB;	
	, ,	(@ad>19980703 not (continuation not provision\$2)))	USOCR	
111	55	((correct\$5 adj2 (distort\$4 or misrealign\$6 or misregist\$6 or error)) and	USPAT;	2004/10/15 16:57
		(((august 46) and 1)	-	200 17 10/10 10.07
		(((exceed\$4 or larger or greater or more) adi2 ((maximum or	OS-PGPDR.	ı
		(((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or value or distance)))) same ((clamp\$4 or	US-PGPUB; EPO; JPO:	
		predetermined adj1 (range or value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value	EPO; JPO;	
		predetermined adj1 (range or value or distance)))) same ((clamp\$4 or		

			Luanum	T 2004/10/12 12 ==
115	251	(image adj1 (forming or printing) or printer) and (((exceed\$4 or larger or greater or more) adj2 ((maximum or predetermined adj1 (range or	USPAT; US-PGPUB;	2004/10/15 16:57
		value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3	EPO; JPO;	
		(maximum or predetermined adj 1 (range or value or distance))))	DERWENT;	
		(committee as produced manage of the second committee)	IBM_TDB;	
			USOCR	
114	143	(image adj1 (forming or printing) or printer) and (((exceed\$4 or larger	USPAT;	2004/10/15 16:58
		or greater or more) adj2 ((maximum or predetermined adj1 (range or	US-PGPUB;	
		value or distance)))) with ((clamp\$4 or limit\$4 or setting) adj3 (maximum	EPO; JPO;	
		or predetermined adj1 (range or value or distance))))	DERWENT;	
			IBM_TDB;	
			USOCR	
117	139	((image adj1 (forming or printing) or printer) and (((exceed\$4 or larger	USPAT;	2004/10/15 16:58
		or greater or more) adj2 ((maximum or predetermined adj1 (range or	US-PGPUB;	
		value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3	EPO; JPO;	
		(maximum or predetermined adj1 (range or value or distance))))) not	DERWENT;	
		(@ad>19980703 not (continuation not provision\$2))	IBM_TDB;	
			USOCR	
116	81	((image adj1 (forming or printing) or printer) and (((exceed\$4 or larger	USPAT;	2004/10/15 16:58
		or greater or more) adj2 ((maximum or predetermined adj1 (range or	US-PGPUB;	
		value or distance)))) with ((clamp\$4 or limit\$4 or setting) adj3 (maximum	EPO; JPO;	
		or predetermined adj1 (range or value or distance))))) not	DERWENT;	
		(@ad>19980703 not (continuation not provision\$2))	IBM_TDB;	
			USOCR	
118	0	(6323959.PN. and (((bow\$4 same distortion and print\$4) and (resist with	USPAT;	2004/10/15 17:20
		pattern)) not ((correction adj1 (data or value) with main adj1 scan\$4) and	US-PGPUB;	
		(resist with pattern)))) and ((distort\$4 or misalign\$4 or shift\$4) with	EPO; JPO;	
		image near2 (formed or produced or printed))	DERWENT;	
			IBM_TDB;	
			USOCR	
119	3346	(detect\$4 or measur\$4 or evaluat\$4) adj2 image near2 (formed or	USPAT;	2004/10/15 17:41
		produced or printed)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB;	-2-
			USOCR	
120	0	(((image adj1 (forming or printing) or printer) and (((exceed\$4 or larger	USPAT;	2004/10/15 17:41
		or greater or more) adj2 ((maximum or predetermined adj1 (range or	US-PGPUB;	
		value or distance)))) same ((clamp\$4 or limit\$4 or setting) adj3	EPO; JPO;	
		(maximum or predetermined adj1 (range or value or distance))))) not	DERWENT;	•
		(@ad>19980703 not (continuation not provision\$2))) and ((detect\$4 or	IBM_TDB;	
		measur\$4 or evaluat\$4) adj2 image near2 (formed or produced or	USOCR	
		printed))		
121	1	(((exceed\$4 or larger or greater or more) adj2 ((maximum or	USPAT;	2004/10/15 17:42
		predetermined adj1 (range or value or distance)))) same ((clamp\$4 or	US-PGPUB;	
		limit\$4 or setting) adj3 (maximum or predetermined adj1 (range or value	EPO; JPO;	
		or distance)))) and ((detect\$4 or measur\$4 or evaluat\$4) adj2 image	DERWENT;	
		near2 (formed or produced or printed))	IBM_TDB;	
			USOCR	